Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
	0	power adj down near fail adj peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L2	0	power adj down near (fail adj peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L3	427	high adj availability adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L4	178	(high adj availability adj system) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L5	84	((high adj availability adj system) and @pd<"20011204") and initialization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ÖR	ON	2004/11/23 19:24
L6	66	((high adj availability adj system) and @pd<"20011204") and initialization and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L7.	601	710/10.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L8	351	710/10.ccls. and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
وا	181	(710/10.ccls. and @pd<"20011204") and initialization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24

r	_					
L10	130	((710/10.ccls. and @pd<"20011204") and initialization) and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L11	0	((710/10.ccls. and @pd<"20011204") and	US-PGPUB; USPAT;	OR	ON	2004/11/23 19:24
	1177 a. 1644 1770 a. 1786 1786 a. 1786 1786 a. 1786	initialization) and peripheral near failure	EPO; JPO; DERWENT; IBM_TDB			
L12	0	((710/10.ccls. and @pd<"20011204") and initialization) and peripheral near fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L13	0	((710/10.ccls. and @pd<"20011204") and initialization) and peripheral near	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/11/23 19:24
		bad	DERWENT;			
114	120		IBM_TDB		ON.	2004/11/22 10:20
L14	130	(((710/10.ccls. and @pd<"20011204") and initialization) and peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:29
L15	98	("4894828" "5235700" "5402491" "5961650" "5991821" "5996087" "6012152" "6026447" "6202190" "5430866" "6467023" "5768585" "5996015" "5450576" "5659748" "5838683" "6304576" "4849978" "4928771" "4970644" "5315161" "5364047" "5404508" "5423050"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON.	2004/11/23 19:24
		"5440741" "5666646" "5982652" "6023507" "6076095" "6092084" "6108301" "6148412" "6163595" "6201319" "5479413" "5448716" "4763271" "6195749" "5764986" "5388243" "5717903" "5852718" "5907485" "5953516" "6144744" "4943999" "4979164" "5315509" "5345590" "5423037").pn.				
L16	7	fault-tolerant and peripheral near failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L17	2	"6567912".pn.	US-PGPUB; USPAT;	OR	ON	2004/11/23 19:24
			EPO; JPO; DERWENT; IBM_TDB			

L18	0	"06567912".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L19	18	benyukhis.inv.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L20	5	("5379431"   "5696968"   "6154836"   "6374352"   "6397268").PN.	USPAT	OR	OFF	2004/11/23 19:24
L21	30	peripheral adj failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L22	23	(peripheral adj failure) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON .	2004/11/23 19:24
L23	1189	power\$up adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L24	1	power\$up adj sequence near failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L25	551	bus adj lock	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L26	460	(bus adj lock) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L27	137	((bus adj lock) and @pd<"20011204") and initialization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24

	····					<del></del>
L28	0	(((bus adj lock) and @pd<"20011204") and initialization) and high adj availability adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L29	89	(((bus adj lock) and @pd<"20011204") and initialization) and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT;	OR	ON	2004/11/23 19:24
			IBM_TDB			
L30	5	("5379431"   "5696968"   "6154836"   "6374352"   "6397268").PN.	USPAT	OR	OFF	2004/11/23 19:24
L31	4412	watchdog adj timer	US-PGPUB; USPAT; EPO; JPO;	OR	ON	2004/11/23 19:24
	11		DERWENT; IBM_TDB			
L32	1379	(watchdog adj timer) and fault	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L33	590	((watchdog adj timer) and fault) and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L34	340	(((watchdog adj timer) and fault) and peripheral) and initialization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L35	163	((((watchdog adj timer) and fault) and peripheral) and initialization) and non\$volatile	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L36	124	((((watchdog adj timer) and fault) and peripheral) and initialization) and non\$volatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L37	67	(((((watchdog adj timer) and fault) and peripheral) and initialization) and non\$volatile adj memory) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ÓN	2004/11/23 19:24

						<del></del>
L38	96	(("4894828" "5235700" "5402491" "5961650" "5991821" "5996087" "6012152" "6026447" "6202190" "5430866" "6467023" "5768585" "5996015" "5450576" "5659748" "5838683" "6304576" "4849978" "4928771" "4970644" "5315161" "5364047" "5404508" "5423050" "5440741" "5666646" "5982652" "6023507" "6076095" "6092084" "6108301" "6148412" "6163595" "6201319" "5479413" "5448716" "4763271" "6195749" "5764986" "5388243" "5717903" "5852718" "5907485" "5953516" "6144744" "4943999" "4979164" "5315509" "5345590" "5423037").pn. ) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L39	8	713/100,300-340;714/8,25.ccls. and bus adj isolation	USPAT	OR	OFF	2004/11/23 19:24
L40	97	713/100,300-340;714/8,25.ccls. and power near sequence	USPAT	OR	OFF	2004/11/23 19:24
L41	0	(713/100,300-340;714/8,25.ccls. and bus adj isolation) and	USPAT	OR	OFF	2004/11/23 19:24
		(713/100,300-340;714/8,25.ccls. and power near sequence) and @pd<"20011204"				
L42	4278	713/100,300-340;714/8,25.ccls.	USPAT	OR	OFF	2004/11/23 19:24
L43	2805	713/100,300-340;714/8,25.ccls. and @pd<"20011204"	USPAT	OR	OFF	2004/11/23 19:24
L44	2285	(713/100,300-340;714/8,25.ccls. and @pd<"20011204") and power	USPAT	OR	OFF	2004/11/23 19:24
L45	606	((713/100,300-340;714/8,25.ccls. and @pd<"20011204") and power) and initialization	USPAT	OR	OFF	2004/11/23 19:24
L46	5	(((713/100,300-340;714/8,25.ccls. and @pd<"20011204") and power) and initialization) and high adj availability adj system	USPAT	OR	OFF	2004/11/23 19:24
L47	19	("3848116"   "4486826"   "4689766"   "4870643"   "5317697"   "5319751"   "5321830"   "5333285"   "5345350"   "5349689"   "5367669"   "5379184"	USPAT	ÖR	OFF	2004/11/23 19:24
		"5438675"   "5487149"   "5568610"   "5584030"   "5644470"   "5721882"   "5727168").PN.				
L48	95	"5815647".URPN.	USPAT	OR	OFF	2004/11/23 19:24
L49	2	("5815647" "5430866").pn.	USPAT	OR	OFF	2004/11/23 19:24

L50	3	"10006176"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/11/23 19:24
L51	2	"20030105994"	US-PGPUB;	OR	OFF	2004/11/23 19:24
			USPAT; EPO; JPO; DERWENT; IBM_TDB			
L52	0	power adj down near fail adj peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L53	0	power adj down near (fail adj	US-PGPUB;	OR	ON	2004/11/23 19:24
		peripheral)	USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB			
L54	427	high adj availability adj system	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L55	178	(high adj availability adj system)	US-PGPUB;	OR	ON	2004/11/23 19:24
		and @pd<"20011204"	USPAT; EPO; JPO; DERWENT; IBM_TDB			
1.56	04	[Pade hydring and make [Pade ]]	i i Tali i	OR	ON	2004/11/23 19:24
L56	84	((high adj availability adj system) and @pd<"20011204") and initialization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	UR	ON	2004/11/25 19.24
L57	66	((high adj availability adj system)	US-PGPUB;	OR	ON	2004/11/23 19:24
		and @pd<"20011204") and initialization and peripheral	USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB			
L58	181	(710/10.ccls. and @pd<"20011204") and initialization	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L59	181	(710/10.ccls. and	US-PGPUB;	OR	ON	2004/11/23 19:24
		@pd<"20011204") and initialization	USPAT; EPO; JPO;			
			DERWENT;			
			IBM_TDB		111111111111111111111111111111111111111	

L60	130	((710/10.ccls. and @pd<"20011204") and initialization) and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L61	7	fault-tolerant and peripheral near failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L62	30	peripheral adj failure	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L63	23	(peripheral adj failure) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L64	1189	power\$up adj sequence	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L65	67	(((((watchdog adj timer) and fault) and peripheral) and initialization) and non\$volatile adj memory) and @pd<"20011204"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:24
L66	5	(((713/100,300-340;714/8,25.ccls. and @pd<"20011204") and power) and initialization) and high adj availability adj system	USPAT	OR	OFF	2004/11/23 19:24
L67	143	(((710/10,108.ccls. and @pd<"20011204") and initialization) and peripheral)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:29
L68	5	L67 and watchdog	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2004/11/23 19:29